



MODEL

M-30

CODE

C1313

After M-10 and M-20, the «M» series of Midland CB radios is widened by the brand new model **M-30**.

M-30 is the «**professional CB**» full optional with so many functions and features.

First of all, it can be installed on any vehicle thanks to the remarkable **12 and 24V power supply**.

M-30 includes all the important CB features and moreover, boasts **6 programmable channels** to which you can assign the functions.

The **wide multicolor TFT display** clearly shows the functions enabled and assigned to the programmable channels.

M-30 includes the **digital automatic squelch (DS)** that can be adjusted in 9 different levels and the **voice enhancer** that emphasizes the bass tones to improve the incoming audio.

It is possible to store up to **8 channels** and to set the immediate selection of the **emergency channels 9 and 19**.

Differently from all CB radios, M-30 includes a **Rosmeter** with protection function (programmable through the optional software) which is able to protect the radio in case of high SWR values.

Amongst the many features included in M-30, we mention the **Dual Watch** to monitor two channels at the same time, the **automatic turning on and off** and the channel number or channel number+frequency band displayed.

The microphone with RJ145 connector supplied in the package has 3 controls in the upper part: UP/DOWN/priority channel.

*M-30 is programmable thanks to the optional programming kit **PRG-30**, cod. C1318.*

COMPLYING TO 2014/53/UE

The package includes

- M-30 transceiver
- Microphone
- Mounting bracket
- Mike holder

Main features

- Multi-function CB with 6 programmable buttons
- Multi-color wide TFT display
- 12V-24V power supply
- Metal chassis
- Programmable buttons
- Channel number or channel number+frequency band displayed
- AM/FM multi band
- Automatic Digital Squelch adjustable in different levels
- Rosmeter and S-Meter
- RF-gain

- Scan function
- Dual Watch
- Roger Beep (adjustable)
- 9/19 emergency channels and priority channel
- Noise Blanker
- Voice enhancer
- Protection against the polarity inversion
- 8 memory channels customizable
- Time Out Timer
- Adjustable backlight
- Automatic turning on/off
- Keypad lock
- Microphone with RJ45 connector with UP/DOWN/Priority Channel
- Software programmabile through the optional programming kit PRG-30 cod. C1318

EXTRA UE VERSION:

Amateur band 26-28MHz 400CH 8W (AM) / 15W (FM)